



Revision Date: 04/15/15

# 1 Identification of the substance/preparation and of the company/undertaking

**Product details** 

Product category: FAÇADE

Trade name: PAREX USA 369 DRAIN EDGE

Application/preparation of the substance: EIFS Accessories Manufacturer/Supplier: PAREXUSA, Inc.

4125 E. LA PALMA AVE

**SUITE 250** 

ANAHEIM, CA 92807

Further information obtainable from: <a href="mailto:pedro.paredes@parexusa.com">Pedro.paredes@parexusa.com</a>

Contact phone number: 800-226-2424 In case of emergency, contact CHEMTREC: 800-424-9300

## 2 Hazards identification

Hazard pictograms (GHS-US): Irritant



**Health Hazards** 



Signal word (GHS-US): Warning

Hazard statement (GHS-US): H303 Can be harmful if swallowed

P280

H320 Causes eye irritation

H335 May cause respiratory irritation
H313 May be harmful in contact with skin

**Precautionary statements (GHS-US):** P402 Store in a dry place.

Wear protective gloves/protective clothing/eye protection/face

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and

keep at rest in a position comfortable for breathing

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or

doctor/physician

HMIS codes:

Health 1
Flammability 0
Reactivity 0
Protective equipment B

Information concerning particular hazards for human and environment:

May be harmful if ingested.

Dust may be irritating to eyes, respiratory system, and skin.

Not known to cause reproductive harm or birth defects.

Keep out of reach of children.

### 3 Composition/information on ingredients

Chemical characterization: n/a

4 First aid measures

General information: n/a

After inhalation: Remove to fresh air. If not breathing, give artificial respiration. If having difficulty breathing, give

oxygen. Get immediate medical attention.

After skin contact: Wash affected area thoroughly with soap and water. Remove contaminated clothes and launder

before re-use.

After eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

After swallowing: Do not induce vomiting. Get medical attention immediately.

### 5 Fire-fighting measures

General information:

Flash point: n/a

Fire and explosion hazards: Not a fire hazards

Suitable extinguishing agents: Water is the best extinguishing media

Hazardous combustion products: Incomplete combustion of dried product can yield low molecular weight hydrocarbons, carbon

monoxide, and carbon dioxide.

Protective equipment: Firefighters should wear full bunker gear, including a positive pressure

self contained breathing apparatus

Firefighting instructions: Respiratory equipment should be worn to avoid inhalation of combustion products. Water should

not be used except as fog to keep nearby containers cool. Water may be used to cool closed

containers to prevent pressure build-up and exposed to extreme heat.

### 6 Accidental release measures

Measures for environmental protection: Keep spilled products out of sewers, streams, and water systems.

Measures for cleaning/collecting: For dry material, collect by sweeping and scooping. Transfer collected material to a container, being

careful to minimize creation of dust. For wet material, scoop material up and transfer to an open

container. Allow material to dry before disposal.

Additional information: See section 13 and section 15 for specific regulatory information concerning this product.

## 7 Handling and storage

Handling:

Handle properly to prevent the spread of fiberglass dust or fibers

Storage:

Store in proper containers to prevent the spread of dusts and fibers. Low humidity levels will increase the spread of dusts and fibers.

### 8 Exposure controls/personal protection

Additional information about design of technical facilities: n/a

Additional information: The lists valid during the making were used as a basis.

Personal protective equipment:

ventilation Use local exhaust. General exhaust acceptable if the exposure to materials above is maintained

below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.

respiratory protection If personal exposure cannot or may not be controlled below applicable limits by ventilation, wear

properly fitted respirator approved by NIOSH/MSHA for protection against materials described

above.

eye protection Wear safety glasses to reduce the potential for eye contact.

skin protection Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

## 9 Physical and chemical properties

| General information:                  |                      |
|---------------------------------------|----------------------|
| form                                  | woven polyolefin mat |
| color                                 | white or colored     |
| odor                                  | odorless             |
| рН                                    | 6-8 (in water)       |
| Change in condition:                  |                      |
| melting point/melting point range     | 800 deg C            |
| boiling point/boiling point range     | n/a                  |
| evaporation rate:                     | n/a                  |
| vapor density:                        | n/a                  |
| Specific gravity:                     | n/a                  |
| Solubility in/Miscibility with water: | n/a                  |
| Density at 20°C:                      | n/a                  |
| VOC:                                  | 0 g/L (0 lb/gal)     |

## 10 Stability and reactivity

Conditions to be avoided:

Chemical stability:

Materials to be avoided:

Hazardous polymerization:

None known

Will not occur

Dangerous decomposition products:

Will not spontaneously occur. By Fire- low molecular weight hydrocarbons, carbon dioxide and monoxide.

# 11 Toxicological information

Acute toxicity:

Primary irritant effect:

on the skin Exposure of skin to product may cause chemical burns. Symptoms of exposure may take several

hours to manifest.

on the eye Exposure of eyes to product may cause chemical burns and blindness. Exposure to airborne dust can

cause immediate or delayed irritation or inflammation.

through ingestion May be harmful if ingested.

through inhalation Dust generated during handling this product may cause irritation to the respiratory tract.

Additional toxicological information: n/a

## 12 Ecological information

Elimination (persistence and degradability): n/a
Behavior in environmental systems: n/a
Mobility and bioaccumulation potential: n/a
General notes: n/a

# 13 Disposal considerations

Product recommendation: This product must be disposed of in accordance with applicable local, state and federal regulations.

Where possible, it is best to use up any excess material.

Uncleansed packaging recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

Land transportUSDOTNot classified as a dangerous good under transport regulationsSea transportIMDGNot classified as a dangerous good under transport regulationsAir transportIATA/ICAONot classified as a dangerous good under transport regulations

## 15 Regulatory information

#### **US Federal regulations**

#### CERCLA, section 103 (40CRF302.4)

This product contains the following toxic chemicals that require notification of the National Response Center of releases of quantities of hazardous substances equal to or greater than the Reportable Quantities (RQ):

No reportable quantities are present.

### Clean Air Act, section 112

This product contains the following components present at or above the minimum level and listed as Hazardous or Extremely Hazardous Air Pollutants:

No reportable quantities are present.

#### SARA, section 302 (40CFR355.30) and section 304 (40CFR355.40)

This product contains the following items that require emergency planning based on Threshold Planning Quantities (TPQ) or release reporting based on RQ:

No reportable quantities are present.

### SARA, section 311/312 (40CFR370.21) Hazard classification for this product

Fire: No Pressure generating: No Reactivity: No Acute health: No Chronic health: No

#### SARA, section 313 (40CFR372.65)

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986:

none

### **EPA VOC regulations**

Theoretical VOC for this product = 0 g/L (0 lb/gal)

#### TSCA

All components of this product are listed, or are exempt from listing on the TSCA inventory.

## OSHA

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR1910.1200). Unlisted ingredients are not 'hazardous' per OSHA standards.

In addition to items listed in Section 11, this product contains the following items that are specifically regulated by OSHA. Exposure limits may be found in Section 8.

none

## State regulations

### California Prop65

Warning - The following chemicals are present in this coating product in small amounts. These chemicals are listed by the California EPA as materials known to the State of California to cause cancer, (and/or) birth defects, (and/or) other reproductive harm:

none

## 16 Other information

The information and recommendation set forth herein are believed to be accurate. Because some of the information used to prepare this document is derived from information provided to PAREXUSA, Inc. from its suppliers, and because PAREXUSA, Inc. has no control over the conditions of handling and use, PAREXUSA, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof and assumes no responsibility from use or reliance thereon. It is the responsibility of the user of PAREXUSA, Inc. products to comply with all applicable federal, state, and local laws and regulations.