PAREXUSA

Revision Date: 04/16/15

1 Identification of the substance/preparation and of the company/undertaking

Product details Product category: Trade name: Application/preparation of the substance: Manufacturer/Supplier:

FAÇADE VARIANCE PLASTERSHIELD GLOSS Specialty Finishes PAREXUSA, Inc. 4125 E. LA PALMA AVE SUITE 250 ANAHEIM, CA 92807 pedro.paredes@parexusa.com 800-226-2424 800-424-9300

Further information obtainable from: Contact phone number: In case of emergency, contact CHEMTREC:

2 Hazards identification

Hazard pictograms (GHS-US):	Irritant	
	Health Hazards	
Signal word (GHS-US):	Warning	•
Hazard statement (GHS-US):	H303	Can be harmful if swallowed
	H320	Causes eye irritation
	H335	May cause respiratory irritation
	H313	May be harmful in contact with skin
Precautionary statements (GHS-US):	P402	Store in a dry place.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P304+P341	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing
	P301+P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
HMIS codes:		
Health	1	
Flammability	0	

Information concerning particular hazards for human and environment:

May be harmful if ingested.

Protective equipment

Reactivity

Dust may be irritating to eyes, respiratory system, and skin.

Not known to cause reproductive harm or birth defects.

Keep out of reach of children.

0

В

Composition/information on ingredients						
Chemical characterization						
Dangerous components:						
CAS #	Name	Exposure Limit				
51200-87-4	4,4 Dimethyloxazolidine	none established				
Additional information:	n/a					
First aid measures						
General information:	n/a					
After inhalation:	Remove to fresh air. If not breathing, breathing, give oxygen. Get immediat	give artificial respiration. If having difficulty te medical attention.				
After skin contact:	Wash affected area thoroughly with s and launder before re-use.	Wash affected area thoroughly with soap and water. Remove contaminated clothes				
After eye contact:	Immediately flush eyes with plenty of attention.	f water for at least 15 minutes. Get medical				
After swallowing:	Do not induce vomiting. Get medical	Do not induce vomiting. Get medical attention immediately.				
Fire-fighting measures						
General information:	Water- based product.					
Flash point:	n/a					
Suitable extinguishing agents:	For the dried product, use carbon dio	xide, dry chemical, or alcohol foam.				
Hazardous combustion products:	Incomplete combustion of dried prod hydrocarbons, carbon monoxide, and					
Protective equipment:	Respiratory equipment should be wo	rn to avoid inhalation of combustion products				
Firefighting instructions:		fog to keep nearby containers cool. Water may prevent pressure build-up and exposed to				
Accidental release measures						
Measures for environmental protection:	Keep spilled products out of sewers, s	streams, and water systems.				
Measures for cleaning/collecting:	container, being careful to minimize of	and scooping. Transfer collected material to a creation of dust. For wet material, scoop material . Allow material to dry before disposal.				

7 Handling and storage

Handling:

Wear appropriate protective equipment when working with this product. Promptly remove dusty clothing, or clothing wet with product mix, and launder before re-using. Wash thoroughly after exposure to product mixtures. Keep out of reach of children.

Storage:

Store in a dry location. Atmospheric temperatures and pressures do not affect the shelf life of this product.

8	Exposure controls/personal protection					
	Dangerous components:					
	CAS # Name Exposure Limit					
	51200-87-4	4,4 Dimethyloxazolidine	none established			

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find how low to protect yourself and your family by contacting the National Lead Hotline at 1800-424-LEAD or log onto www.epa.gov/lead

Additional information:	The lists valid during the making were used as a basis.
Personal protective equipment:	
ventilation	Use local exhaust. General exhaust acceptable if the exposure to materials above is maintained below applicable exposure limits. Refer to OSHA Standards 1910.94, 1910.107, and 1910.108.
respiratory protection	If personal exposure cannot be controlled below applicable limits by ventilation, wear a properly fitted organic vapor/particulate respirator approved by NIOSH for protection against materials described above.
eye protection	Wear safety glasses to reduce the potential for eye contact.
skin protection	Prevent prolonged or repeated contact by using rubber gloves and appropriate protective clothing.

9 Physical and chemical properties

۶

General information:		
form	Fluid	
color	milky white or colored	
odor	Mild ammonia	
рН	8.0-10.0	
Change in condition:		
melting point/melting point range	32'F	
boiling point/boiling point range	190-212'F	
evaporation rate:	Slower than ether	
vapor density:	Heavier than air	
Specific gravity:	1.04	
Solubility in/Miscibility with water:	dispersible	
Density at 20°C:	8.69 lb/gal	
VOC:	7g/L (0.0624lb/gal)	

10 Stability and reactivity	
Conditions to be avoided:	None known
Chemical stability:	Stable
Materials to be avoided:	None known
Hazardous polymerization:	Will not occur
Dangaraus decomposition products	

Dangerous decomposition products:

Will not spontaneously occur. By Fire- low molecular weight hydrocarbons, carbon dioxide and monoxide.

11	Toxicological information	
	Acute toxicity:	
	n/a	
	Primary irritant effect:	
	on the skin	Exposure of skin to wet product may cause chemical burns. Symptoms of exposure may take several hours to manifest.
	on the eye	Exposure of eyes to wet product may cause chemical burns and blindness. Exposure to airborne dust can cause immediate or delayed irritation or inflammation.
	through ingestion	May be harmful if ingested.
	through inhalation	Dust generated during handling this product may cause irritation to the respiratory tract.
	Additional toxicological information:	n/a

12 Ecological information		
Elimination (persistence ar	nd degradability):	n/a
Behavior in environmental	systems:	n/a
Mobility and bioaccumulat	ion potential:	n/a
General notes:		n/a

13 Disposal considerations	
Product recommendation:	This product must be disposed of in accordance with applicable local, state and federal regulations. Where possible, it is best to use up any excess material.
Uncleansed packaging recommendation:	Disposal must be made according to official regulations.
14 Transport information	
Land transport USDOT	Not classified as a dangerous good under transport regulations
Sea transport IMDG	Not classified as a dangerous good under transport regulations
Air transport IATA/ICAO	Not classified as a dangerous good under transport regulations

15	Regulatory information
	o ,

US Federal regulations		
CERCLA, section 103 (40CRF302.4)		
This product contains the following toxic chemicals that	t require notification of the National Res	sponse Center of releases of
quantities of hazardous substances equal to or greater	than the Reportable Quantities (RQ):	
No reportable	e quantities are present.	
Clean Air Act, section 112		
This product contains the following components preser	nt at or above the minimum level and lis	ted as Hazardous or Extremely
Hazardous Air Pollutants:		
No reportable	e quantities are present.	
SARA, section 302 (40CFR355.30) and section 304 (40CFR355.40	0)	
This product contains the following items that require e	emergency planning based on Threshold	Planning Quantities (TPQ) or
release reporting based on RQ:		
No reportable	e quantities are present.	
SARA, section 311/312 (40CFR370.21) Hazard classification for	this product	
Fire: No	Pressure generating: No	Reactivity: No
Acute health: No	Chronic health: No	
SARA, section 313 (40CFR372.65)		
This product contains the following substances subject	to the reporting requirements of Section	n 313 of Title III of the Superfund
Amendment and Reauthorization Act of 1986:		
No reportable	e quantities are present.	
	Plastorshield Closs	

Variance Plastershield Gloss

Theoretical VOC for this product =7g/L (0.0624lb/gal)

All components of this product are listed, or are exempt from listing on the TSCA inventory.

TSCA

OSHA

This Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR1910.1200). Unlisted ingredients are not 'hazardous' per OSHA standards.

In addition to items listed in Section 11, this product contains the following items that are specifically regulated by OSHA. Exposure limits may be found in Section 8.

No reportable quantities are present.

State regulations

California

Warning - The following chemicals are present in this coating product in small amounts. These chemicals are listed by the California EPA as materials known to the State of California to cause cancer, (and/or) birth defects, (and/or) other reproductive harm:

None

16 Other information

The information and recommendation set forth herein are believed to be accurate. Because some of the information used to prepare this document is derived from information provided to PAREXUSA, Inc. from its suppliers, and because PAREXUSA, Inc. has no control over the conditions of handling and use, PAREXUSA, Inc. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof and assumes no responsibility from use or reliance thereon. It is the responsibility of the user of PAREXUSA, Inc. products to comply with all applicable federal, state, and local laws and regulations.